

What's in California's Landfills: Measuring Single-Use Packaging and Plastic Food Service Ware Disposed 2025

Revised Preliminary Report



State of California
Gavin Newsom
Governor

California Environmental Protection Agency
Yana Garcia
Secretary

Department of Resources Recycling and Recovery (CalRecycle)
Zoe Heller
Director

Public Affairs Office

1001 I Street (MS 22-B)

P.O. Box 4025

Sacramento, CA 95812-4025

www.calrecycle.ca.gov/Publications/

1-800-RECYCLE (California only) or (916) 341-6300

Publication # DRRR-2025-1757

To conserve resources and reduce waste, CalRecycle reports are produced in electronic format only. If printing copies of this document, consider use of recycled paper containing 100% postconsumer fiber and, where possible, print on both sides.

This report does not constitute an endorsement or warranty concerning any products or processes.

CalRecycle does not discriminate on the basis of disability in access to its programs. CalRecycle publications are available in accessible formats upon request by calling the Public Affairs Office at (916) 341-6300. Persons with hearing impairments can reach CalRecycle through the California Relay Service at 1-800-735-2929.

Table of Contents

Executive Summary and Background	1
Table E-1. Estimated Disposal of Covered Material, By Material Class.....	2
Overview of Changes.....	2
Main report	2
Appendix 1	3
Appendix 2	3
Public Feedback and Next Steps	3
Data Records Available Pursuant to the California Public Records Act.....	3
Methods	3
Overview.....	3
Estimating Composition of Landfilled Material in California	4
Landfill Selection	4
Sorting Categories.....	7
Vehicle Surveys.....	14
Sample Collection and Sorting	14
Additional Analysis Performed by Contractor Staff.....	14
Data Considerations.....	16
Additional Analysis Performed by CalRecycle.....	16
Summary of Findings	18
Estimates of Statewide Disposal of All Material	19
Table 4. Estimates of Statewide Landfill Disposal from each Sector.....	19
Estimates of Statewide Disposal of Covered Material.....	20
Table 5-A. Estimates of Statewide Disposal of Material Classes in 2024.....	20
Table 5-B. Estimates of Disposal by Material Class and Sector in 2024	21
Table 6. Estimates of Statewide Disposal by Covered Material Category in 2024 ..	22
Additional Analysis: Spectroscopic Analysis of Hard-to-Identify Resins.....	28
Resin Composition Among Plastic Samples	28
Glossary of Terms.....	30
Abbreviations and Acronyms	33
Bibliography	34

Executive Summary and Background

Lawmakers enacted the [Plastic Pollution Prevention and Packaging Producer Responsibility Act](#) (Senate Bill (SB) 54, Allen, Chapter 75, Statutes of 2022) (the Act), establishing an extended producer responsibility (EPR) program to reduce single-use packaging and plastic single-use food service ware (covered material) in California. The Act requires all covered material to be recyclable or compostable, while also setting specific source reduction and recycling rate requirements for plastic covered material.

The Act requires the California Department of Resources Recycling and Recovery (CalRecycle) to conduct a material characterization study of covered material categories and determine the approximate amount of covered material disposed of in California landfills. Public Resources Code (PRC) section 42061(a)(2)-(3).

CalRecycle contracted with Cascadia Consulting Group (Cascadia) to conduct a statewide material characterization study to characterize and measure the amount of covered material landfilled in California. Fieldwork, which included hand-sorting samples at California landfills, occurred between February and April 2025. CalRecycle and Cascadia designed a study that used representative, cost-effective sampling and analysis methods to gather data while minimizing disruption to facility operators. CalRecycle published preliminary findings from this study on June 30, 2025.

The Revised Preliminary Findings Report provides estimates of the amount of covered material landfilled in California, by weight (tons) and as a proportion of total material landfilled statewide. CalRecycle conducted advanced statistical analyses on data from the study published in June 2025, and this revised report reflects the results of that expanded analysis. It also incorporates additional analyses of resin types of plastic covered material that could not be readily identified in the field, as well as estimates of the weight of covered material discarded together with food or other goods. Additionally, the report provides weight-to-volume conversion factors for certain covered material.

It was estimated that 8,457,149 tons of covered material were disposed of in California in 2024, representing about 21.1% of the state's total landfill disposal. Table E-1 shows additional details on the estimated disposal of covered material categories (CMCs) by material class.

Table E-1. Estimated Disposal of Covered Material, By Material Class

This table shows the estimated annual disposal tonnage (column 2) and the percentage of total statewide material disposal (column 3) for covered material within each material class. Column 4 shows the CMC within each material class estimated to have the largest amount of material disposed of.

Material Class	Annual Disposal Estimate of Covered Material (tons)	Percentage of Total Estimated Covered Material Disposal	Highest Tonnage Covered Material Category in Material Class
Paper and Fiber	3,929,375	46.5%	Cardboard
Plastic	3,123,797	36.9%	Flexible and Film Items
Wood and other Organic Materials	811,999	9.6%	All Untreated Forms
Metal	432,265	5.1%	Non-aerosol Containers
Glass	154,149	1.8%	Bottles and Jars
Ceramic	5,564	0.1%	Small - Two or more sides measuring 2" or less

For more detailed findings, refer to the Summary of Findings section. The findings presented are specific to covered material under the Act and do not provide granular information about other materials. Revised preliminary data on other materials are included in Appendix 1.

Overview of Changes

This section summarizes revisions made in this Revised Preliminary Findings Report compared to the Preliminary Findings Report ([DRRR-2025-1755](#)) published June 30, 2025.

This Revised Preliminary Findings Report incorporates the following revisions:

Main report

- Revised statistical analysis to account for interdependent and non-normal distribution of material characterization study data, including:
 - Summary description of the frequentist modeling methodology.
 - Addition of confidence intervals (Table 5-A) and updated numbers in Tables 5-A, 5-B and 6.
- Summary of methodology for determining weight-to-volume conversion factors for certain covered materials.

Appendix 1

- Revised statistical analysis of the study sort data by applying the frequentist model.
 - Statistical modeling methodology
 - Updated data from statistical modeling, including confidence intervals: Tables A7-A, A7-B, and A8
- Weight-to-volume conversion factors for certain covered materials
 - Detailed methodology for determining weight-to-volume conversion factors
 - Addition of Table A9-1 with weight-to-volume conversion factor (Density measurements)
 - Rare material categories not analyzed for weight-to-volume conversion factor measurements: Table A9-2

Appendix 2

- Public comments received by CalRecycle from June 30, 2025, through Sept. 15, 2025.

Public Feedback and Next Steps

PRC section 42061(a)(7) directs CalRecycle to publish preliminary findings of the study and conduct a public meeting to present those findings and receive public comments. CalRecycle published the [SB 54 Preliminary Findings Report](#) on June 30, 2025. This report updates the study's findings and integrates additional advanced statistical analyses of the data. CalRecycle continues to accept written feedback, plans to hold a public meeting in October 2025 to further solicit public comments, and will finalize the report within 60 days of the public meeting.

All written feedback can be submitted to wastechar@calrecycle.ca.gov with the subject line: SB 54 MCS Revised Preliminary Findings.

Data Records Available Pursuant to the California Public Records Act

Public records related to this report can be requested through the [CalRecycle Public Records Portal](#) and include records documenting analysis steps, often as scripts in the R Statistical Program:

- Estimates of statewide disposal, all materials
- Estimates of statewide disposal, covered material
- Percentage composition of each material type within covered material classes
- Composition estimates for material types within sectors

Methods

Overview

To estimate statewide disposal of covered material, two main steps were taken. First, sampling was conducted at 16 landfills across California to estimate the composition of landfilled materials by waste-generating sector. Second, the composition data were

extrapolated to estimate statewide disposal using calendar year 2024 data submitted to CalRecycle's Recycling and Disposal Reporting System (RDRS).

A random sampling methodology was used to sample waste from various sectors to develop a waste composition profile for each sector. The four sectors considered in this study included: (1) franchised single-family residential; (2) franchised commercial and multi-family residential; (3) self-hauled; and (4) mixed waste (i.e., material from transfer trailers). Data from each sector were then combined based on their relative contributions to the overall waste stream using RDRS data. This produced statewide estimates of landfilled material by sorted material category.

For all sectors, only deliveries destined for landfill disposal were eligible for sampling, including construction and demolition (C&D) debris. Loads of disaster debris (e.g., storm deadfall and soil), universal waste, material sent for recycling or recovery, biosolids, designated waste, aggregates and soil set aside for beneficial use, alternative daily cover (ADC), and household hazardous waste (HHW) were not sampled and are excluded from the study.

For the purposes of this study and throughout the report, the CalRecycle field team is referred to as "CalRecycle staff," and the Cascadia-contracted field team is referred to as "contractor staff."

The following sections provide additional information about the methodology used in each step. Appendix 1: Detailed Methodology (Section 1: Detailed Methodology) presents more detailed study design and methodology.

Estimating Composition of Landfilled Material in California

To gather the data needed to estimate overall waste composition in the state, samples of waste were collected at California landfills and sorted based on CMCs.

Landfill Selection


To maximize the collection of data representative of California, landfills that account for a higher proportion of the state's waste stream were prioritized for inclusion in the study. Additionally, to capture data across the four sectors, landfills with the largest annual inflow tonnage that received material from the four sectors were also prioritized. Participation by landfills in this study was voluntary. In total, 16 landfill sites participated (Table 1; Figure 1). The study was conducted over two sampling periods. Each period spanned roughly 14 calendar days, with approximately two days of sampling at each site. Appendix 1: Detailed Methodology (Section 1.2: Facility Selection and Sample Allocation) provides additional details.

Table 1. List of Participating Study Landfills

This table provides the facility name, county where the facility is located, and the CalRecycle Solid Waste Information System (SWIS) number.

Facility Name	County	SWIS Number
Altamont Landfill & Resource Recovery	Alameda	01-AA-0009
Antelope Valley Recycling & Disposal Facility	Los Angeles	19-AA-5624
Badlands Landfill	Riverside	33-AA-0006
Corinda Los Trancos Landfill (Ox Mtn)	San Mateo	41-AA-0002
El Sobrante Landfill	Riverside	33-AA-0217
Forward Landfill	Alameda	39-AA-0015
Highway 59 Landfill	Merced	24-AA-0001
Johnson Canyon Sanitary Landfill	Monterey	27-AA-0005
Kiefer Landfill	Sacramento	34-AA-0001
Monterey Peninsula Landfill	Monterey	27-AA-0010
Olinda Alpha Sanitary Landfill	Orange	30-AB-0035
Potrero Hills Landfill	Solano	48-AA-0075
Recology Ostrom Road Landfill	Yuba	58-AA-0011
Simi Valley Landfill & Recycling Center	Ventura	56-AA-0007
Otay Landfill	San Diego	37-AA-0010
West Miramar Sanitary Landfill	San Diego	37-AA-0020

Figure 1. Map of participating study landfills by sampling period



Sorting Categories

In accordance with the Act, CalRecycle developed covered material categories (CMCs), [published July 1, 2024](#). These categories classify covered material by material type and form. Recyclability and compostability determinations for those categories were added in the [Dec. 31, 2024 updated publication](#). Each CMC is a combination of one material from one of six classes (ceramic, glass, metal, paper and fiber, plastic, or wood or other organic material) and a particular type and form of that material (e.g. CMC Code 24_M4P identifies Class: Metal, Type: Aluminum, and Form: Aerosol Can with a Plastic Component). The categories apply individually to each detachable component of covered material. In addition to the six material classes, one additional material class — miscellaneous — was used for this study. It included a category for covered material discarded with a good still inside (e.g., partially filled bottle of lotion, a meal discarded in a plastic takeout container, or sausages discarded in their wrapper).

To identify and sort items based on the CMCs, 83 material sorting categories were established. These were based on how materials are found at landfills (e.g., broken or contaminated) and the feasibility of material identification and sorting in the field. During the study, contractor staff sorted each sample into one of the 83 categories from the Material Characterization Study Sorting List (Table 2) to provide material type composition data for each sample. The complete material sorting list, with definitions and examples for each category, is provided in Appendix 1 (Section 1.1, Table A1).

Generally, each of the 83 material sorting categories included only one of the following types of materials:

- Covered material (i.e., single-use packaging and single-use plastic food service ware covered under the Act),
- Potentially reusable alternatives to covered material (e.g., reusable milk jug), and
- All other material that is not covered under the Act.

Materials not covered under the Act were itemized into either a remainder category according to material class or sorted into the miscellaneous class. Remainder categories served as a catch-all for items, specific to class, that were not covered material. The miscellaneous class contained categories for hazardous materials, small items measuring 2 inches or smaller in at least two dimensions (i.e., mixed residue), and discarded covered material with a good inside.

Material sorting categories that included covered material not predominantly made of plastic were generally a combination of two CMCs — one for that material type without a plastic component and one for the same material type with a plastic component. For example, “Glass Bottles and Jars that are covered material” was a single sorting category but included two CMCs: one for Glass Bottles and Jars with a plastic component (CMC Code 24_G1P) and one for Glass Bottles and Jars without a plastic component (CMC Code 24_G1N). In these scenarios, the combined CMC Code reflected in the material sorting list is a combination of the two CMCs, such as Code 24_G1N/P.

The material types are specifically defined in Appendix 1: Detailed Methodology (Section 1.1: Sorting Categories List and Sorting Guidance, Table A1). Table A1 provides the sorting rules used in the field to determine the inclusion or exclusion of each item in the sorting categories. Additional details on sample sorting and characterization are provided in Appendix 1: Detailed Methodology (Section 1.7: Sample Characterization).

Table 2. Material Characterization Study Sorting List

The information in this table provides a complete list of categories used to sort samples for the study. Each sorting category identifies a combination of material class, material type, and form. The first column in the table is a numeric count. Note: The count column is not ordered sequentially, as it aligns with the CMC List published Dec. 31, 2024. The second column describes the material class (glass, ceramic, metal, paper and fiber, plastic, wood and other organic materials). The third column describes the material type, and the fourth column describes the form of the covered materials in that CMC. The fifth column, labeled Combined CMC Code, includes the specific code that identifies which CMCs are included within each sorting category. These codes refer to the CMCs list published Dec. 31, 2024, pursuant to the Act. All sorting categories with a corresponding code starting with the “24_” prefix are specific to covered material. Additionally, in the Combined CMC Code column, the alphanumeric material code ends with an “N” and/or a “P” indicating whether the item contains an inseparable plastic component (P) or contains no plastic component (N). An “N/P” indicates that the material form contains two covered material categories, one with and one without inseparable plastic components. Entries in the Combined CMC Code column with the following text mean:

- “Potential reuse”: categories for packaging and food service ware that may be reusable or refillable,
- “Mixture”: categories in which a covered material was jointly discarded with other material (e.g., food discarded in original packaging), and
- “n/a”: remainder categories for materials other than covered material.

The complete material sorting list with definitions and examples for each category is provided in Appendix 1 (Section 1.1, Table A1).

Count	Class	Type	Form	Combined CMC Code
1	Glass	Glass	Bottles and Jars	24_G1N/P
2	Glass	Glass	Other Forms	24_G2N/P
4	Glass	Glass	Small – Two or more sides measuring 2” or less	24_G3N/P
3	Glass	Glass	Potentially Reusable Packaging and Food Service Ware	Potential Reuse
5	Glass	Glass	Remainder/Composite Glass	n/a
6	Ceramic	Ceramic	All Forms	24_C1N/P
8	Ceramic	Ceramic	Small – Two or more sides measuring 2” or less	24_C2N/P
7	Ceramic	Ceramic	Potentially Reusable Packaging and Food Service Ware	Potential Reuse

Count	Class	Type	Form	Combined CMC Code
9	Ceramic	Ceramic	Remainder/Composite Ceramic	n/a
10	Metal	Aluminum	Non-aerosol Containers	24_M1N/P
11	Metal	Aluminum	Foil Sheets	24_M2N/P
12	Metal	Aluminum	Foil Molded Containers	24_M3N/P
13	Metal	Aluminum	Aerosol Cans	24_M4P
14	Metal	Aluminum	Other Forms	24_M5N/P
15	Metal	Tin/Steel/Bimetal	Non-aerosol Containers	24_M6N/P
16	Metal	Tin/Steel/Bimetal	Aerosol Cans	24_M7P
17	Metal	Tin/Steel/Bimetal	Other Forms	24_M8N/P
18	Metal	Other Non-Ferrous	All Other Forms	24_M9N/P
19	Metal	Other Ferrous	All Other Forms	24_M10N/P
21	Metal	Metal	Small – Two or more sides measuring 2” or less	24_M12N/P
20	Metal	Metal	Potentially Reusable Packaging and Food Service Ware	Potential Reuse
22	Metal	Metal	Remainder/Composite Metal	n/a
23	Paper/Fiber	Kraft Paper	All Forms	24_PF1N/P
24	Paper/Fiber	Molded Fiber	All Forms	24_PF14N/P
25	Paper/Fiber	Multi-Material Laminate	Aseptic Cartons	24_PF15P
26	Paper/Fiber	Multi-Material Laminate	Gable-top Cartons	24_PF5P
29	Paper/Fiber	Multi-Material Laminate	Other Forms	24_PF7P
27	Paper/Fiber	OCC	Waxed Cardboard	24_PF8N/P
28	Paper/Fiber	OCC	Cardboard	24_PF9N/P
30	Paper/Fiber	Paperboard	All Forms	24_PF10N/P
31	Paper/Fiber	White Paper	All Forms	24_PF11N/P
32	Paper/Fiber	Other/Mixed Paper	All Forms	24_PF12N/P
34	Paper/Fiber	Paper/ Fiber	Small – Two or more sides measuring 2” or less	24_PF16N/P

Count	Class	Type	Form	Combined CMC Code
33	Paper/Fiber	Other/ Mixed Paper	Potentially Reusable Packaging and Food Service Ware	Potential Reuse
35	Paper/Fiber	Other/Mixed Paper	Remainder/Composite Mixed Paper	n/a
36	Plastic	PET (#1)	Bottles, Jugs, and Jars (Clear/Natural)	24_P1P
37	Plastic	PET (#1)	Bottles, Jugs, and Jars (Pigmented/Color)	24_P2P
38	Plastic	PET (#1)	Other Rigid Containers, Cups, Lids Plates, Trays, Tubs	24_P38P
39	Plastic	PET (#1)	Other Rigid Items	24_P39P
40	Plastic	PET (#1)	Flexible and Film Items	24_P5P
41	Plastic	HDPE (#2)	Bottles, Jugs, and Jars (Clear/Natural)	24_P6P
42	Plastic	HDPE (#2)	Bottles, Jugs, and Jars (Pigmented/Color)	24_P7P
43	Plastic	HDPE (#2)	Pails and Buckets	24_P8P
44	Plastic	HDPE (#2)	Other Rigid Items	24_P40P
45	Plastic	HDPE (#2)	Flexible and Film Items	24_P10P
46	Plastic	PVC (#3)	Rigid Items	24_P11P
47	Plastic	PVC (#3)	Flexible and Film	24_P12P
48	Plastic	LDPE (#4)	Bottles, Jugs, and Jars	24_P13P
49	Plastic	LDPE (#4)	Other Rigid Items	24_P14P
50	Plastic	LDPE (#4)	Clear Non-Bag Film	24_P15P
51	Plastic	LDPE (#4)	Other Flexible and Film Items	24_P16P
52	Plastic	PP (#5)	Bottles, Jugs, and Jars	24_P17P
53	Plastic	PP (#5)	Other Rigid Containers, Cups, Lids, Plates, Trays, and Tubs	24_P41P
54	Plastic	PP (#5)	Utensils	24_P19P
55	Plastic	PP (#5)	Other Rigid Items	24_P20P
56	Plastic	PP (#5)	Clear Non-Bag Film	24_P21P
57	Plastic	PP (#5)	Other Flexible and Film Items	24_P22P
58	Plastic	PS (#6)	Expanded/Foamed Hinged Containers, Plates, Cups, Tubs, Trays, and Other Foamed Containers	24_P23P
59	Plastic	PS (#6)	Other Expanded/Foamed Forms	24_P42P
60	Plastic	PS (#6)	Utensils	24_P27P

Count	Class	Type	Form	Combined CMC Code
61	Plastic	PS (#6)	Solid Hinged Containers, Plates, Cups, Tubs, Trays, and Other Solid Forms	24_P43P
62	Plastic	PS (#6)	Flexible and Film Items	24_P29P
63	Plastic	Plastics and Polymers Designed for Compostability	Rigid Items	24_P44P
64	Plastic	Plastics and Polymers Designed for Compostability	Flexible and Film Items	24_P45P
65	Plastic	Multi-Material Laminate	Pouches and Envelopes	24_P46P
66	Plastic	Multi-Material Laminate	Other Forms	24_P33P
67	Plastic	Other/ Mixed Plastics	Textiles (non-organic/synthetic)	24_P34P
68	Plastic	Other/ Mixed Plastics	Rigid Items	24_P35P
69	Plastic	Other/ Mixed Plastics	Flexible and Film Items	24_P36P
71	Plastic	Plastic	Small – Two or more sides measuring 2” or less	24_P47P
70	Plastic	Plastic	Potentially Reusable Packaging and Food Service Ware	Potential Reuse
72	Plastic	Plastic	Remainder/Composite Plastic	n/a
73	Wood and Other Organic Materials	Wood	All Untreated Forms	24_WO1N/P
74	Wood and Other Organic Materials	Wood	All Treated or Painted Forms	24_WO2N/P
75	Wood and Other Organic Materials	Other/Mixed Organic	Textiles	24_WO3N/P

Count	Class	Type	Form	Combined CMC Code
76	Wood and Other Organic Materials	Other/Mixed Organic	Other Forms	24_WO4N/P
79	Wood and Other Organic Materials	Wood and Other Organic	Small – Two or more sides measuring 2” or less	24_WO6N/P
78	Wood and Other Organic Materials	Other/Mixed Organic	Potentially Reusable Packaging and Food Service Ware	Potential Reuse
77	Wood and Other Organic Materials	Other/Mixed Organic	Food Discarded in Original Packaging or Food Service Ware	Mixture
80	Wood and Other Organic Materials	Other/Mixed Organic	Remainder/Composite Organic	n/a
81	Miscellaneous	Miscellaneous	Non-Food Discarded in Original Packaging	Mixture
83	Miscellaneous	Miscellaneous	Mixed Residue	n/a
82	Miscellaneous	Miscellaneous	Remainder Miscellaneous	n/a

Vehicle Surveys

As part of data collection, contractor staff conducted surveys at facilities to gather information on the sector of incoming vehicles, select specific vehicles for sampling, and collect additional data on the selected vehicles — such as the net weight of the load. The vehicle survey data were used to estimate the contribution of each waste sector at each participating facility to the overall waste sector throughout the state.

More details on the vehicle surveys, the data collected and analyzed, and the vehicle selection process for sampling can be found in Appendix 1: Detailed Methodology (Section 1.5: Vehicle Surveys).

Sample Collection and Sorting

Contractor staff collected 313 waste samples across all sectors at the 16 landfills for composition analysis. An additional four samples were collected that did not meet the specifications for inclusion in the overall waste composition analysis but were still considered in the additional analyses completed by contractor staff (see section Additional Analysis Performed by Contractor Staff).

From randomly identified residential route trucks, commercial route trucks, self-hauled loads, and transfer trailers, contractor staff collected one sample weighing at least 200 pounds from each selected vehicle. If, during a sampling day, the expected commercial vehicles or transfer trailers were anticipated to be fewer than needed to meet sampling targets, contractor staff collected two samples per vehicle for those types. Double sampling was not allowed from residential route trucks. Table 3 shows the sample distribution among the four sectors.

Table 3. Distribution of Samples by Waste-Generating Sector

Sector	Period 1	Period 2	Total
Franchised Single-family Residential (RES)	36	47	83
Franchised Commercial & Multi-family Residential (COM)	69	71	140
Self-haul (SH)	31	31	62
Mixed Waste (MIX)	14	14	28
Total	150	163	313

Additional Analysis Performed by Contractor Staff

To collect additional data on the amount and type of covered material, contractor staff completed additional analyses on (1) covered material made of plastic with an unknown resin type, (2) covered material disposed of with a good inside, and (3) weight-to-volume conversion factors for sorting categories that include covered material. This section describes those additional analyses.

Covered Material Made of Plastic of Hard-to-Identify Resin Type

Contractor staff sorted covered material made primarily of plastic that could not be readily identified in the field as a resin type #1 through #6 into one of two categories: (1) Other/Mixed Plastics Rigid Items (Count 68 in the material sorting list). or (2)

Other/Mixed Plastics Flexible and Film Items (Count 69 in the material sorting list). As with other sorting categories, the weights of materials in these categories were recorded. Throughout the study, contractor staff collected a selection of items from these categories for further analysis. They applied the Cone and Quarter method (illustrated in Appendix 1: Section 1.7: Sample Characterization, Figure B2) to generate a random selection of material in those categories for resin identification analysis. Contractor staff sent the items to an off-site lab, Stina Inc., for analysis using resin spectroscopy to identify the plastic resin type: PET (#1), HDPE (#2), PVC (#3), LDPE (#4), PP (#5), PS (#6), and other or unknown resins. A total of 1,090 covered material items of unknown resin type were analyzed.

Due to collection methods and differing methods of nomenclature, the resin analysis results were not associated with specific samples, facilities, or sectors. As a result, the findings are presented as stand-alone results. The results of the resin analysis are described in Section Additional Analysis: Spectroscopic Analysis of Hard-to-Identify Resins, Tables 7-A and 7-B – Resin Composition Among Plastic Samples.

Covered Material Disposed of with the Good Inside (Depackaging Analysis)

Covered material disposed of with the good still inside (e.g., a partially filled bottle of lotion, a meal discarded in a plastic takeout container, or sausages discarded in their wrapper) was sorted into one of two categories: one for food discarded in covered material (Count 77 in the material sorting list), and one for all other goods discarded in covered material (Count 81 in the material sorting list). For a subset of materials in those two categories, contractor staff separated the covered material from the good. Contractor staff brushed, shook, scraped, spooned, and wiped the contaminant materials out of and off the covered packaging material, collecting the contaminants in a bin. After separation and dry cleaning, the weight of the covered material was recorded by material class. These data were used to estimate the proportional weight of the covered material in each of the two original categories.

Weight-to-Volume Conversion Factors for Sorting Categories with Covered Material

To provide additional context to the measured weights of covered materials landfilled in California, contractor staff collected additional data to calculate weight-to-volume conversion factors for each sorting category that included covered material. For the 67 sorting categories, after sorting was completed, contractor staff weighed the sorted material in containers of known volume, yielding a weight-to-volume correlation. This information was then used to calculate a volume-to-weight conversion factor by sorting category. Contractor staff conducted this analysis throughout the study. The results are presented in Table A9-A in Appendix 1. Information on sorting categories that were rarely encountered and not analyzed is presented in Appendix 1, Table A9-B. For a more detailed methodology refer to Appendix 1 (Section 1: Sample Characterization: Covered Material Weight-to-Volume Conversion Factor).

Data Considerations

There are multiple methodological factors to consider when interpreting the findings of this study. Due to the nature of waste disposal, some rare types of covered material (e.g., single-use ceramic packaging) may not have been collected because of the relatively small proportion of material sampled compared to total statewide disposal. Additionally, samples, especially those in the self-haul and commercial sectors, were often mostly homogenous. For example, a single randomly selected self-haul sample consisted almost entirely of concrete. These factors result in a dataset with many CMCs that were rarely observed, and some samples were mostly homogenous.

Analyzing waste disposal data poses unique challenges. Waste characterization is a compositional analysis, meaning collected data are interdependent. The waste stream is composed of a study-defined number of material types, and the analysis aims to understand what proportion of the stream is composed of each material type. Analytical methods in the revised preliminary report were updated to assume data followed a Dirichlet distribution, which is appropriate for compositional data. This method does not allow the composition of any material type to be zero in any sample. As such, analytical methods must correct for samples with missing material types. In this study, that correction was accomplished through randomization of samples (see Appendix 1; Additional Analysis; Composition Estimates). Additional details and explanations of these analyses can be found in Appendix 1: Section 1.

Additional Analysis Performed by CalRecycle Quality Control Sort

CalRecycle staff conducted a quality control sort on all Remainder/Composite categories from the material sorting list to assess sorting accuracy. This process was executed as follows: (1) after contractor staff completed the initial sort into the 83 sorting categories, the materials in the Remainder/Composite categories were weighed; (2) for a subset of samples, CalRecycle staff then conducted a second sort of those materials to identify any additional covered material that had been missed. The weights of any additional covered material discovered were later incorporated into the data, as described in the following section.

Calculation of Composition Data Calculating Final Material Composition

To calculate the final material composition, which combines data from the main sort and the quality control sort for a given sample (i.e., the percentage of each sorting category in a given sample), the following equation was applied:

$$S = \frac{[M + Q(i) + D(i)]}{T} \times 100$$

- S = percentage by weight of a specific sorting category within a given sample
- M = weight of material within a specific sorting category **from sort**
- Q = weight of a material within a specific material **class** from the **quality control sort**

- i = percentage by weight that a specific sorting category accounts for within a material class (see next subsection for more details)
- D = weight of material within a specific material class from the **depackaging analysis**
- T = Total weight of all material in the sample

Estimating Percentage (i)

Weight data on covered material disposed of, captured during the additional analysis on depackaging and the quality control sort, was collected at the material class level. To apply this weight to specific sorting categories, a study-wide estimate was made of the proportion each sorting category represented within its material class. Table A6 (Appendix 1, Section 2: Data Analysis) provides the average (mean) weight each sorting category accounted for within a material class over the entire study period. To estimate these proportions, the following equation was used to estimate i for each sample. These values were then averaged across the entire study.

$$i(\text{sample}) = \frac{\text{Weight of a material type and form in the sample}}{\text{Weight of the sample}} \times 100$$

This composition data, along with other information and data gathered during the study period, were used to extrapolate study findings to statewide levels, as detailed in the following subsections.

Estimating Disposal by Sector and Statewide

To estimate confidence intervals and produce estimates of CMC proportions within sectors and statewide, modeling was conducted in R Statistical Program. First, CMC proportions were calculated within each sample. A CMC proportion is the proportion of total disposed of material in a given sample, by weight, that the CMC accounts for. This is compositional data, describing the relative frequencies of the multiple components (in this case, CMCs and nonCMC remainder categories) which sum to a constant value of 1. These proportions are assumed to follow a Dirichlet distribution, a common model for compositional data. In a dataset following the Dirichlet distribution, events can be classified into three or more discrete options (e.g., a sample of disposed of material can be classified as four different material types), and the occurrence of events is best understood as proportions (e.g., 30% of a sample is composed of material type X, by weight) that will sum to a value of 1 (or 100%).

A frequentist model was then applied, assuming the Dirichlet distribution, to estimate CMC proportions. A frequentist model is a statistical approach used to estimate the population-wide value of a parameter (such as the proportion of total disposal that is material type X) from a sample of the population. Using the Dirichlet distribution, CMC proportions were estimated based on properties such as arithmetic mean and density. Frequentist statistics were chosen for computational efficiency over other methods. This produced estimates of the mean (average) and 95% confidence intervals for each CMC proportion within each sector.

Next, results for each CMC within each sector were scaled and summed to estimate statewide results. The statewide estimates for each CMC were calculated as:

$$D = (C_R \times T_R) + (C_C \times T_C) + (C_M \times T_M) + (C_S \times T_S)$$

- D = statewide estimate of the material category
- C_R = estimate from Residential sector data
- T_R = proportion of study-wide disposal tonnage from Residential sector
- C_C = estimate from Commercial sector data
- T_C = proportion of study-wide disposal tonnage from Commercial sector
- C_M = estimate from Mixed Waste sector data
- T_M = proportion of study-wide disposal tonnage from Mixed Waste sector
- C_S = estimate from Self Haul sector data
- T_S = proportion of study-wide disposal tonnage from Self Haul sector

Total statewide annual disposal tonnage for 2024 was retrieved from (RDRS) Report 8: Statewide Totals for Disposal and Disposal-Related Materials (May 2025). The resulting statewide proportion means (averages) for each CMC were multiplied by the total statewide disposal tonnage to estimate statewide annual disposal for each CMC in tons.

This modeling strategy was used to generate the data in Tables 5-A, 5-B, 6, and Appendix Tables A7-A and A8. For more details, see Appendix (Section 2: Additional Analysis: Statistical Analysis Methods).

Disposal Estimates by Sorting Category

The analysis produced four estimates for each of the sorting categories. This information is provided at both the statewide level and by sector. The four estimates include:

1. The average annual weight of landfilled material, expressed as the mean.
2. The proportion of overall disposal (percent – by weight) of each sorting category, expressed as the mean.
3. The lower and upper bounds (2.5% and 97.5%) of the 95% confidence interval for the estimate of disposal proportion.

Summary of Findings

This section provides the statewide-level findings from the study. The first subsection presents the primary findings — specifically, estimates of the proportions and amounts of covered material landfilled in California by sorting category. The second subsection presents findings from an additional analysis to identify the resin types of covered material for plastic items where the resin type could not be identified in the field.

The findings in this section, including the data tables, summarize data collected during the study regarding covered material, as well as data generated through statistical modeling. Data tables reflecting results from the additional analyses of potentially reusable and Remainder/Composite categories can be found in Appendix 1. During the study, 4,613 pounds of covered material items were collected and sorted as the basis for these estimates. The quality control sort identified additional covered material in 118

samples, totaling 237 pounds. The depackaging analysis identified additional covered material in 93 samples, totaling 173 pounds. In total, the Remainder/Composite (quality control) sort and depackaging analysis identified an additional 6% of covered material items by weight.

Estimates of Statewide Disposal of All Material

In 2024, an estimated 40,035,748 tons of material were sent for disposal in California landfills. Table 4 shows the disposal estimates for each sector based on vehicle surveys and RDRS statewide total disposal tonnage (RDRS data accessed May 2025). For each sector, the percentage of disposal from that sector and the total disposal (tons) for 2024 are shown. The sum of the percentages in the second column may not equal exactly 100% due to rounding.

Table 4. Estimates of Statewide Landfill Disposal from each Sector

Sector	Percentage of Disposal Tonnage Originating from Sector	2024 Disposal Estimate (Tons)
Franchised Commercial	26.6%	10,629,343
Franchised Residential	12.6%	5,023,433
Mixed	49.8%	19,919,907
Self-Haul	11.2%	4,463,065
Total	100%	40,035,748

Estimates of Statewide Disposal of Covered Material

In 2024, an estimated 8,457,149 tons of covered material were disposed of in California landfills. Covered material accounted for 21.1% of total statewide disposal. By material class, paper and fiber was the most landfilled covered material, with an estimated 3,929,375 tons disposed of, followed by plastic, with an estimated 3,123,797 tons.

Table 5-A shows estimates of covered material landfilled in California in 2024, by material class, including weight (in tons) and each class's proportion of the total landfilled waste stream.

Table 5-A. Estimates of Statewide Disposal of Material Classes in 2024

Material Class	Average (mean) Annual Statewide Disposal (tons)	Percentage of Total Statewide Disposal	95% Confidence Interval for Percentage of Total Statewide Disposal	Proportion of Covered Material Disposal
Ceramic	5,564	0.01%	0.00% - 0.08%	0.07%
Glass	154,149	0.39%	0.10% - 1.12%	1.82%
Metal	432,265	1.08%	0.13% - 4.04%	5.11%
Plastic	3,123,797	7.80%	2.44% - 19.96%	36.94%
Paper and Fiber	3,929,375	9.81%	5.66% - 16.24%	46.46%
Wood and Other Organic Materials	811,999	2.03%	1.07% - 3.71%	9.60%
Total	8,457,149	21.12%	9.41% - 45.15%	100%

Table 5-B shows estimated proportions of disposal by material class and sector. Column 3 provides the estimated proportion of total disposal for all material in a material class, including material not covered under the Act. Column 4 provides the estimated proportion of total disposal for covered material within each material class, with total disposal including both covered and noncovered material. Column 5 provides the estimated proportion of total covered material disposal for each covered material within each material class. Any rows with "n/a" for CMC disposal estimates indicate that covered material in that material class was not observed within the relevant sector.

Table 5-B. Estimates of Disposal by Material Class and Sector in 2024

Material Class	Sector	For Material Type, Estimated Proportion of Total Disposal (by Weight)	For CMC only, Estimated Proportion of Total Disposal (by Weight)	For CMC only, Estimated Proportion of CMC Disposal (by Weight)
Ceramic	Franchised Commercial	0.43%	0.03%	0.13%
Glass	Franchised Commercial	1.46%	0.35%	1.52%
Metal	Franchised Commercial	4.52%	0.99%	4.29%
Paper and Fiber	Franchised Commercial	17.11%	9.62%	41.70%
Plastic	Franchised Commercial	15.15%	7.89%	34.20%
Wood and Other Organic Materials	Franchised Commercial	25.45%	4.19%	18.16%
Ceramic	Franchised Residential	0.21%	0.04%	0.22%
Glass	Franchised Residential	2.47%	0.80%	4.37%
Metal	Franchised Residential	3.88%	1.29%	7.04%
Paper and Fiber	Franchised Residential	19.24%	7.97%	43.50%
Plastic	Franchised Residential	14.62%	8.17%	44.60%

Material Class	Sector	For Material Type, Estimated Proportion of Total Disposal (by Weight)	For CMC only, Estimated Proportion of Total Disposal (by Weight)	For CMC only, Estimated Proportion of CMC Disposal (by Weight)
Wood and Other Organic Materials	Franchised Residential	29.28%	0.05%	0.27%
Ceramic	Mixed	0.43%	n/a	n/a
Glass	Mixed	1.29%	0.39%	1.68%
Metal	Mixed	3.73%	1.22%	5.24%
Paper and Fiber	Mixed	18.37%	11.34%	48.73%
Plastic	Mixed	16.25%	8.94%	38.42%
Wood and Other Organic Materials	Mixed	17.96%	1.38%	5.93%
Ceramic	Self-haul	2.08%	n/a	n/a
Glass	Self-haul	0.11%	n/a	n/a
Metal	Self-haul	5.84%	0.42%	4.17%
Paper and Fiber	Self-haul	6.76%	5.57%	55.37%
Plastic	Self-haul	3.54%	2.10%	20.87%
Wood and Other Organic Materials	Self-haul	12.30%	1.97%	19.58%

Table 6. Estimates of Statewide Disposal by Covered Material Category in 2024

Table 6 shows estimates of the amounts of covered material landfilled in California in 2024, by sorting category. The table includes weight (in tons), the proportion of the total waste stream, and the proportion of covered material disposed of.

Materials within certain CMCs were rarely found in samples, including: Ceramic all forms (24_C1N/P); Glass Other Forms (24_G2N/P); Plastic LDPE Bottles, Jugs, and Jars (24_P17P); Plastic PS Flexible and Film (24_P29P); Plastic PET Flexible and Film (24_P5P); Other/Mixed Organic Textile (24_WO3N/P); and Other/Mixed Organic Other Forms (24_WO4N/P). Since these items were rarely detected during sampling, it indicates their presence is likely rare in statewide disposal.

Each row of the table contains data for a covered material sorting category. The first four columns identify the sorting category by combined CMC code, material class, material type, and material form. The fifth column is the annual average (mean) statewide disposal estimate in tons. The sixth column is the proportion of total statewide disposal that each sorting category accounts for. All sorting categories with a corresponding code starting with "24_" are categories specific to covered material that was published in the CMC list released Jan. 1, 2025. Additionally, in the code column, the alphanumeric material code ends with an "N" and/or a "P" indicating whether the item contains an inseparable plastic component (P) or contains no plastic component (N). An "N/P" indicates that the material form contains two covered material categories, one with and one without inseparable plastic components.

Confidence intervals for these estimates were calculated (Section 2: Data Analysis: Additional Analysis: Composition Estimates) and are presented in Appendix 1 (Section 2: Table A8).

Combined CMC Code	Material Class	Material Type	Material Form	Estimated Average (mean) Annual Statewide Disposal (tons)	Estimated Proportion of Total Statewide Disposal
24_G1N/P	Glass	Glass	Bottles and Jars	130,502	0.33%
24_G2N/P	Glass	Glass	Other Forms	9,249	0.02%
24_G3N/P	Glass	Glass	Small - Two or more sides measuring 2" or less	14,398	0.04%
24_C1N/P	Ceramic	Ceramic	All Forms	1,172	0.00%
24_C2N/P	Ceramic	Ceramic	Small - Two or more sides measuring 2" or less	4,391	0.01%
24_M1N/P	Metal	Aluminum	Non-aerosol Containers	24,454	0.06%
24_M2N/P	Metal	Aluminum	Foil Sheets	66,305	0.17%
24_M3N/P	Metal	Aluminum	Foil Molded Containers	32,213	0.08%
24_M4P	Metal	Aluminum	Aerosol can	19,392	0.05%
24_M5N/P	Metal	Aluminum	Other Forms	24,533	0.06%
24_M6N/P	Metal	Tin/Steel/Bimetal	Non-aerosol Containers	137,393	0.34%

Combined CMC Code	Material Class	Material Type	Material Form	Estimated Average (mean) Annual Statewide Disposal (tons)	Estimated Proportion of Total Statewide Disposal
24_M7P	Metal	Tin/Steel/Bimetal	Aerosol Can	38,929	0.10%
24_M8N/P	Metal	Tin/Steel/Bimetal	Other Forms	44,148	0.11%
24_M9N/P	Metal	Other Nonferrous	All Forms	11,762	0.03%
24_M10N/P	Metal	Other Ferrous	All Forms	19,579	0.05%
24_M12N/P	Metal	Metal	Small - Two or more sides measuring 2" or less	13,557	0.03%
24_PF1N/P	Paper and Fiber	Kraft Paper	All Forms	289,887	0.72%
24_PF14N/P	Paper and Fiber	Molded Fiber	All Forms	163,462	0.41%
24_PF15P	Paper and Fiber	Multi-Material Laminate	Aseptic Cartons	57,344	0.14%
24_PF5P	Paper and Fiber	Multi-Material Laminate	Gable-top Cartons	84,452	0.21%
24_PF7P	Paper and Fiber	Multi-Material Laminate	Other Forms	549,429	1.37%
24_PF8N/P	Paper and Fiber	OCC	Waxed Cardboard	109,451	0.27%
24_PF9N/P	Paper and Fiber	OCC	Cardboard	2,042,929	5.10%
24_PF10N/P	Paper and Fiber	Paperboard	All Forms	487,428	1.22%
24_PF11N/P	Paper and Fiber	White Paper	All Forms	18,512	0.05%
24_PF12N/P	Paper and Fiber	Other/Mixed Paper	All Forms	112,428	0.28%
24_PF16N/P	Paper and Fiber	Paper and Fiber	Small - Two or more sides measuring 2" or less	14,054	0.04%

Combined CMC Code	Material Class	Material Type	Material Form	Estimated Average (mean) Annual Statewide Disposal (tons)	Estimated Proportion of Total Statewide Disposal
24_P1P	Plastic	PET (#1)	Bottles, Jugs, and Jars (Clear/Natural)	80,445	0.20%
24_P2P	Plastic	PET (#1)	Bottles, Jugs, and Jars (Pigmented/Color)	42,204	0.11%
24_P38P	Plastic	PET (#1)	Other Rigid Containers, Cups, Lids, Plates, Trays, and Tubs	204,712	0.51%
24_P39P	Plastic	PET (#1)	Other Rigid Items	24,929	0.06%
24_P5P	Plastic	PET (#1)	Flexible and Film Items	9,568	0.02%
24_P6P	Plastic	HDPE (#2)	Bottles, Jugs, and Jars (Clear/Natural)	99,816	0.25%
24_P7P	Plastic	HDPE (#2)	Bottles, Jugs, and Jars (Pigmented/Color)	94,893	0.24%
24_P8P	Plastic	HDPE (#2)	Pails and Buckets	62,945	0.16%
24_P40P	Plastic	HDPE (#2)	Other Rigid Items	50,724	0.13%
24_P10P	Plastic	HDPE (#2)	Flexible and Film Items	48,778	0.12%
24_P11P	Plastic	PVC (#3)	Rigid Items	16,679	0.04%
24_P12P	Plastic	PVC (#3)	Flexible and Film Items	18,125	0.05%
24_P13P	Plastic	LDPE (#4)	Bottles, Jugs, and Jars	8,850	0.02%
24_P14P	Plastic	LDPE (#4)	Other Rigid Items	19,351	0.05%
24_P15P	Plastic	LDPE (#4)	Clear Non-Bag Film	263,481	0.66%
24_P16P	Plastic	LDPE (#4)	Other Flexible and Film Items	290,978	0.73%
24_P17P	Plastic	PP (#5)	Bottles, Jugs, and Jars	14,411	0.04%
24_P41P	Plastic	PP (#5)	Other Rigid Containers, Cups, Lids, Plates, Trays, and Tubs	371,670	0.93%
24_P19P	Plastic	PP (#5)	Utensils	28,091	0.07%
24_P20P	Plastic	PP (#5)	Other Rigid Items	67,550	0.17%

Combined CMC Code	Material Class	Material Type	Material Form	Estimated Average (mean) Annual Statewide Disposal (tons)	Estimated Proportion of Total Statewide Disposal
24_P21P	Plastic	PP (#5)	Clear Non-Bag Film	15,639	0.04%
24_P22P	Plastic	PP (#5)	Other Flexible and Film Items	31,560	0.08%
24_P23P	Plastic	PS (#6)	Expanded/Foamed Hinged Containers, Plates, Cups, Tubs, Trays, and Other Foamed Containers	62,525	0.16%
24_P42P	Plastic	PS (#6)	Other Expanded/Foamed Forms	68,405	0.17%
24_P27P	Plastic	PS (#6)	Utensils	27,176	0.07%
24_P43P	Plastic	PS (#6)	Solid Hinged Containers, Plates, Cups, Tubs, Trays, and Other Solid Forms	75,115	0.19%
24_P29P	Plastic	PS (#6)	Flexible and Film Items	11,189	0.03%
24_P44P	Plastic	Plastics and Polymers Designed for Compostability	Rigid Items	25,519	0.06%
24_P45P	Plastic	Plastics and Polymers Designed for Compostability	Flexible and Film Items	15,247	0.04%
24_P46P	Plastic	Multi-Material Laminate	Pouches and Envelopes	58,962	0.15%
24_P33P	Plastic	Multi-Material Laminate	Other Forms	72,604	0.18%
24_P34P	Plastic	Other/Mixed Plastics	Textiles	25,786	0.06%

Combined CMC Code	Material Class	Material Type	Material Form	Estimated Average (mean) Annual Statewide Disposal (tons)	Estimated Proportion of Total Statewide Disposal
24_P35P	Plastic	Other/Mixed Plastics	Rigid Items	117,993	0.29%
24_P36P	Plastic	Other/Mixed Plastics	Flexible and Film Items	650,085	1.62%
24_P47P	Plastic	Plastic	Small - Two or more sides measuring 2" or less	47,791	0.12%
24_WO1N/P	Wood and Other Organic Materials	Wood	All Untreated Forms	703,062	1.76%
24_WO2N/P	Wood and Other Organic Materials	Wood	All Treated or Painted Forms	87,378	0.22%
24_WO3N/P	Wood and Other Organic Materials	Other/Mixed Organic	Textiles	6,386	0.02%
24_WO4N/P	Wood and Other Organic Materials	Other/Mixed Organic	Other Forms	5,369	0.01%
24_WO6N/P	Wood and Other Organic Materials	Wood and Other Organic Materials	Small - Two or more sides measuring 2" or less	9,804	0.02%

Additional Analysis: Spectroscopic Analysis of Hard-to-Identify Resins

Resin Composition Among Plastic Samples

This section presents the results from resin analysis performed on covered material that was sorted but whose dominant plastic type could not be readily distinguished by resin type in the field. Contractor staff sorted a total of 1,090 items from the following categories: Count 68 – Other/Mixed Plastics Rigid Items (527 individual items) and Count 69 – Other/Mixed Plastics Flexible and Film Items (563 individual items). These items were sent to Stina Inc. for identification using resin spectroscopy.

The resin analysis results showed two key findings: (1) among the Other/Mixed Plastics Rigid items, HDPE (#2) and LDPE (#4) were the most prevalent resin types, together accounting for nearly 50% of the 527 items analyzed (Table 7-A); and (2) among the Other/Mixed Plastics Flexible and Film items, Other or Unknown Resins and PP (#5) were the most prevalent resin types, also making up nearly 50% of the 563 items analyzed (Table 7-B).

Tables 7-A and 7-B contain information from the study sort and resin analysis of hard-to-identify resins. The first column lists the resin type; the second column shows the number of instances the resin was found; and the third column indicates the percentage of resin prevalence. The sum of the percentages in the third column may not equal exactly 100% due to rounding. Within the sort, multiple CMCs within each resin type are summed for the material forms “Rigid Items (Table 7-A)” and “Flexible and Film Items (Table 7-B).”

Table 7-A. Resin Composition Among Other/Mixed Plastics Rigid Samples

Resin Type	Number of Items in which this Resin was Identified	Percent of Items in which this Resin was Identified
PET (#1)	93	17.7%
HDPE (#2)	108	20.5%
PVC (#3)	10	1.9%
LDPE (#4)	141	26.8%
PP (#5)	100	19.0%
PS (#6)	0	0.0%
Other/Unknown	54	10.3%
Non-Plastic	21	4.0%

Table 7-B. Resin Composition Among Other/Mixed Plastics Flexible and Film Samples

Resin Type	Number of Items in which this Resin was Identified	Percent of Items in which this Resin was Identified
PET (#1)	93	16.5%
HDPE (#2)	60	10.7%
PVC (#3)	13	2.3%
LDPE (#4)	19	3.4%
PP (#5)	193	34.3%
PS (#6)	36	6.4%
Other/Unknown	99	17.6%
Non-Plastic	50	8.9%

Glossary of Terms

Additional Analysis: Refers to additional sorting and analysis performed by the contractor for the following:

- Covered material made primarily of plastic that could not be readily identified in the field as being composed of resin types #1 through #6 was sorted into one of two categories: (1) rigid items (Count 68 in the material sorting list) composed of other or unidentifiable plastic resin types, and (2) flexible and film items (Count 69 in the material sorting list) composed of other or unidentifiable plastic resin types. These samples were sent to an off-site laboratory for resin identification.
- Covered material disposed of with the good still inside (Count 81 in the material sorting list) or with food still inside (Count 77 in the material sorting list) was depackaged to obtain the weight of covered material without any contents.

Confidence Interval: A confidence interval refers to a range of values that will contain the true value. Confidence intervals always have an associated probability level. Unless otherwise noted, this report calculates confidence intervals at the 95% level. The 95% confidence intervals provided in this report have the following interpretation: If the dataset underlying a confidence interval was recreated many times and a new confidence interval was created for each dataset, then 95% of those intervals would contain the true value. This interpretation differs slightly from assuming that any one confidence interval has a 95% probability of containing the true value. However, if we assume that the process generating datasets is consistent, we can interpret the specific confidence intervals in this report as indicating a 95% probability that the true value lies within the 95% confidence interval. This assumption is common in scientific literature.

Contractor Staff: Refers to field staff under contract with CalRecycle to perform sampling and sorting. This includes primary contractor staff and any subcontractor staff.

Covered Material: Single-use packaging and single-use plastic food service ware covered under SB 54 (PRC section 42041(e)(1)).

Covered Material Categories: Categories that include covered material of a similar type and form. Additional details regarding the covered material categories can be found on the [SB 54 Covered Material Categories List webpage](#).

Dirichlet Distribution: In statistics, a distribution is a function that shows the probability of observing events. The Dirichlet distribution shows such probabilities for proportional events. That is, if the types of observable events can be classified into three or more discrete options (e.g., a sample of disposed of material can be divided into four different material types), and if the occurrence of events is best understood as proportions (e.g., 30% of a weight sample is material type X), then the Dirichlet distribution will model the probability of observing such proportions.

Frequentist Model: A statistical approach used to estimate the population-wide value for a parameter (such as the proportion of the total landfill disposal stream that is material type X) from a sample of the population. The approach works by finding the value of the population-wide parameter that maximizes the probability of observing the original data.

Landfilled: Material destined for final deposition in a landfill with no further processing. The following types of material were excluded from the study: (1) disaster debris (e.g., storm deadfall and soil), (2) universal waste, (3) material sent for recycling or recovery, (4) biosolids, (5) designated waste, (6) aggregates and soil set aside for beneficial use, (7) alternative daily cover, and (8) household hazardous waste.

Mean: The arithmetic average of a set of numbers.

Maximum Likelihood: A method of estimating the attributes, or parameters, of an assumed probability distribution, given the observed data.

Multivariate Normal Distribution: A generalization of the one-dimensional normal distribution to problems of higher dimensions. The normal distribution is a type of probability distribution for a random variable.

Sectors: A unique portion of the total waste stream that is determined by its particular generation, collection, or composition characteristics. Sectors are identified according to the source, or generator, of the waste (single-family or commercial), as well as how materials are delivered to waste sites (commercially collected or self-hauled).

- **Franchised Commercial and Multi-family Residential (COM)** materials are hauled by contracted or municipally operated vehicles in packer trucks and drop-boxes. At least 80% of the material is generated at institutional, commercial, or industrial buildings such as businesses, schools, government offices, and other institutions, or multifamily residential buildings serviced with dumpsters. This is one of the four sectors of the waste stream collected for this study.
- **Franchised Single-family Residential (RES)** materials are hauled by contracted or municipally operated vehicles in packer trucks. At least 80% of the material is generated at residential buildings serviced with carts. This is one of the four sectors of the waste stream collected for this study.
- **Mixed Waste (MIX)** is commingled material either hauled in transfer trailers by contracted or municipally operated vehicles from a transfer station, or as loads of material recovery facility (MRF) residuals. This stream does not include loads from community drop-off locations. These loads do not come directly from a collection route or property; therefore, the generating sector is often unidentifiable. This is one of the four sectors of the waste stream collected for this study.
- **Self-haul (SH)** materials are hauled by vehicles not operated by a franchise or municipality, including waste from residential or nonresidential sources. Self-haul customers do not have a permit to operate as waste haulers. Municipal haulers, such as city road crews and parks departments, bringing waste from cleanups, are also included in this stream. This is one of the four sectors of the waste stream collected for this study.

Sort: For this study, material sent to landfills for disposal was categorized based on the study sorting list. Each of the 83 sorting categories included only one of the following: (1) covered material (i.e., single-use packaging and single-use plastic food service ware covered under the Act); (2) potentially reusable alternatives to covered material (e.g.,

reusable milk jug); or (3) all other material not covered under the Act, classified as Remainder/Composite. Sorting was conducted by contractor staff. Materials in the Remainder/Composite categories were subject to additional quality control sorting by CalRecycle staff.

Material Sorting List: The list of material categories used by contractor staff to conduct the study. It was aligned with covered material categories.

Abbreviations and Acronyms

ADC – Alternative Daily Cover

CalRecycle – California Department of Resources Recycling and Recovery

C&D – Construction and demolition

CMC – Covered Material Category

COM – Franchised Commercial and Multi-Family Residential

EPR – Extended Producer Responsibility

HDPE – High-Density Polyethylene

HHW – Household Hazardous Waste

Lbs. - Pounds

LDPE – Low-Density Polyethylene

MIX – Mixed Waste

MRF – Material Recovery Facility

OCC – Old Corrugated Containers or Cardboard

PET – Polyethylene Terephthalate

PP – Polypropylene

PRC – Public Resources Code

PS – Polystyrene

PVC – Polyvinyl Chloride

RDRS – Recycling and Disposal Reporting System

RES – Franchised Single-Family Residential

SB – California State Senate Bill

SH – Self-Haul

SWIS – CalRecycle's Solid Waste Information System

The Act - Senate Bill 54 (SB 54), the Plastic Pollution Prevention and Packaging Producer Responsibility Act (Allen, Chapter 75, Statutes of 2022)

Bibliography

1. California Department of Resources Recycling and Recovery. (2025). Recycling and Disposal Reporting System (RDRS) Report 8: Statewide Totals for Disposal and Disposal-Related Materials. Retrieved May 2025, from <https://www2.calrecycle.ca.gov/RecyclingDisposalReporting/Reports/StatewideTotalDisposalMaterials>